



Details of availability of emergency kits and mock drill carried out to manage complication.

1. Uttar Basti

Possible complications.

- Patient may land in to anaphylactic shock.
- Cervical injury, vaginal injury, uterine wall injury.
- In case of neurogenic shock patient either goes in cardiac arrest or dies or he may recover fully spontaneously

Emergency drugs available-

- Inj. Atropine
- Inj. Hydrocortisone
- IV fluids like RL, NS etc.

Mock Drill —A. Anaphylactic shock

Patient in anaphylactic shock due to vasovagal syncope.



Patient informed to medical officer and concern authority immediately.



Head low given
All vitals checked
Use of atropine in case of severe Brady car die-
Emergency lifesaving drugs
administration



- Resuscitation if needed done.
- Extra vascular fluid replacement done with RL, NS, Etc.



Principal
Vd. Milind Babarao Aware
Shree Saptashrungi Ayurved
Mahavidyalaya & Hospital, Nashik



2. Kshar pratisaran/ Yonipichu

Possible complications-

- patient may land in to Neurogenic shock due to severe pain experienced by him.
- Patient may land in to vasovagal shock sometime.
- Resulting in to sudden Hypotension, Bradycardia, Arrhythmia, low cardiac output.

Emergency drugs available-

- Inj. Atropine
- Inj. Norepinephrine. • Inj. Epinephrine • Inj. Dopamine.
- Inj. vasopressin
- Inj. Hydrocortisone
- IV fluids like RL, NS etc.

Mock Drill —A. Neurogenic shock

Patient in Neurogenic shock with sever hypotension



Patient informed to medical officer and concern authority immediately



Head low given- Trendelenburg Position

- Immediate administration of IV fluids to correct hypovolemic condition.
- Use of vasoconstrictor Drugs like epinephrine, nor epinephrine.
- Use of atropine in case of sever bradycardia
- Use of Steroids if needed



- Resuscitation if needed done.
- Extravascular fluid replacement done with RL, NS etc



Principal
Vd. Milind Babarao Awaré
Shree Saptashrungi Ayurved
Mahavidyalaya & Hospital, Nashik



3. Agnikarma

Possible complications-

- While performing Agni karma treatment there may be chances of burn.

Drugs available Antibiotics

- Analgesics.
- Silver sulphadiazine ointment for local application
- Inj. Hydrocortisone
- IV fluids like RL, NS etc.

Mock Drill —A. Neurogenic shock treatment and wound management.

Patient in Neurogenic shock due to severe pain



Patient informed to medical officer and concern authority immediately.



Immediate administration of IV fluids to correct hypovolemic condition Use of antibiotics.
Use of Analgesic drugs.
Use of Steroids if needed



Management of Burn Wound accordingly.

- Extravascular fluid replacement done with RL, NS etc.



Milind Babarao Aware
Principal
Vd. Milind Babarao Aware
Shree Saptashrungi Ayurved
Mahavidyalaya & Hospital, Nashik